


Marion County Snow Loads

Area	Elevation	Ground Snow Load	Roof Timber Area	Roof Wind Exposed
	500	29	26	20
	600	31	28	22
Mehama	630	32	29	22
Taylor Grove	680	33	30	23
	700	34	30	24
	800	37	33	26
Mill City	850	39	35	27
	900	40	36	28
Gates	940	42	38	29
	1,000	44	40	31
Niagara	1,100	48	43	34
Big Cliff Dam	1,200	52	47	37
Elkhorn	1,200	52	47	37
	1,300	57	51	40
Silver Falls Park (Main Park)	1,360	60	54	42
Silverton Hills Grange	1,400	62	56	43
	1,500	67	61	47
Silver Falls Park (North)	1,520	68	62	48
South Silver Youth Camp.....	1,550	70	63	49
Detroit Dam	1,570	71	64	50
Drake Crossing	1,600	73	66	51
Detroit City	1,600	73	66	51
Idanha	1,670	77	69	54
	1,700	79	71	55
Crooked Finger School	1,790	84	76	59
Breitenbush	1,800	85	77	60
Silver Cr. Recreation	1,800	85	77	60
	1,900	92	82	64
	2,000	98	89	69
	2,100	106	95	74
	2,200	113	102	79
	2,300	121	109	85
	2,400	129	116	90
	2,500	138	124	96
	2,600	146	132	102
	2,700	155	140	109
	4,200	330	297	231



Marion Co. Snow Loads

Revised: 01/29/99

97 UBC Section 1608 & Appendix Chapter 16, Division I, Volume 2

07/06/07

SNOW-TBL.WB2

0.9
Coeff.

0.7
Coeff.

Note: The Oregon Structural Specialty Code does not allow reductions below 25 lbs/sq ft