

# High-Efficiency Lighting Notification Form



## Marion County Public Works – Building Inspection Division

5155 Silverton Rd NE, Salem, Oregon 97305

Phone: (503) 588-5147 Fax: (503) 588-7948

Email: [Building@co.marion.or.us](mailto:Building@co.marion.or.us)

Internet address: [www.co.marion.or.us](http://www.co.marion.or.us)

**Pursuant to 2017 ORSC, Section N1107.2:** High-efficiency lamps. The permanently installed lighting fixtures shall be installed with compact or linear fluorescent, LED, or a lighting source that has a minimum efficacy of 40 lumens per input watt. Screw-in compact fluorescent lamps comply with this requirement.

The building official shall be notified in writing at the final inspection that the permanently installed lighting fixtures are compact or linear fluorescent, LED, or a minimum efficacy of 40 lumens per input watt.

---

Permit #: \_\_\_\_\_

Site Address: \_\_\_\_\_

Applicant Name: \_\_\_\_\_

Contractor: \_\_\_\_\_ CCB #: \_\_\_\_\_

Pursuant to 2017 ORSC, Section N1107.2, I am notifying Marion County Building Inspection Division, as it pertains to permit listed above, that the permanently installed lighting fixtures are compact or linear fluorescent, LED, or a minimum efficacy of 40 lumens per input watt.

Note: Two permanently installed lighting fixtures are not required to have high-efficacy lamps.

Please check the box indicating that the requirement that has been met:

**100 %** of the permanently installed lighting fixtures are compact or linear fluorescent, LED, or a minimum efficacy of 40 lumens per input watt. No more than two permanently installed lighting fixtures do not have high-efficacy lamps.

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

---

Please have this form filled out, signed and available with the approved plans on the jobsite at the time of the final inspection.