

COVID-19 Data & Trends

March 16, 2021

Table of Contents

- 1. Infections, Hospitalizations & Deaths by Onset Date MonthlySummary
- 2. Cases:NumbersandTrends
- 3. Hospitalizations:NumbersandTrends
- 4. Deaths Numbers and Trends
- 5. InfectionTrendsbySource
- 6. DeathsbyInfectionSourceandCaseFatalityRate
- 7. Distribution and Number of Deaths by Infection Source Cumulative
- 8. Metrics for Returning to In-Person Instruction
- 9. County Risk Level Metrics
- 10. Case Counts and Rates for Current Watch Period for All Sources of Infection
- 11. Rate and Count of COVID-19 Sporadic Cases by Zip Code in Marion County per 100,000 population
- 12. Infections Due to Sporadic Transmission
- 13. Sporadic Case Counts and Rates for Current Watch Period
- 14. Distribution of Cases, Hospitalizations, and Deaths by Infection Source
- 15. Percentage of COVID-19 Cases in Marion County by Source of Infection
- 16. Percentage of COVID-19 Cases in Oregon by Source of Infection
- 17. Percentage of COVID-19 Cases Associated with an Outbreak by Type of Facility (Pie Chart)
- 18. Percentage of COVID-19 Cases Associated with an Outbreak by Type of Facility
- 19. Percentage of COVID-19 Deaths in Marion County with Underlying Medical Conditions
- 20. Percentage of COVID-19 Deaths in Marion County by the Number of Underlying Medical Conditions
- 21. Rate and Count of COVID-19 Cases by Race and Ethnicity in Marion County
- 22. Rate and Count of COVID-19 Hospitalizations by Race and Ethnicity in Marion County
- 23. Rate and Count of COVID-19 Deaths by Race and Ethnicity in Marion County

Infections, Hospitalizations & Deaths by Onset Date - Monthly Summary



Proportion of cases that result in severe outcomes (hospitalizations or deaths), by month and over the course of the pandemic.

	2020											2021			Grand
	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	TOLAI
Case Hospitalized Rate	100.0%	26.4%	15.8%	8.1%	9.2%	5.8%	5.4%	6.2%	4.9%	5.8%	4.5%	4.4%	5.3%	3.9%	5.8%
Case Fatality Rate	0.0%	5.0%	3.5%	2.5%	4.1%	1.8%	1.2%	1.5%	1.2%	2.1%	1.3%	0.7%	0.3%	0.4%	1.5%

Proportion per month of infections, hospitalizations, and deaths across the course of the pandemic.

	2020											2021			Grand
	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Total
Cases	0%	1%	2%	2%	4%	6%	6%	5%	9%	19%	24%	15%	5%	1%	100%
Hospitalized	0%	6%	5%	3%	6%	6%	6%	5%	7%	19%	19%	11%	5%	1%	100%
Deaths	0%	4%	4%	4%	9%	7%	5%	5%	7%	26%	20%	7%	1%	0%	100%

This page shows how the level of infection and severity of COVID-19 is progressing in the county, summarized by month, so as to show broad trends. The results for March are in progress.

Cases: Numbers and Trends





Two views of the number of infections over time by date of symptom onset: the top chart show the number of infections for each day and the 14-day moving average. Counts of infections over the last week are provisional and are denoted by shading. The bottom chart shows how the trend changes by month.



Hospitalizations: Numbers and Trends



Two views of the number of hospitalizations over time by date of symptom onset: the top chart show the number of cases hospitalized and the 14-day moving average. The grey bars indicate the dates where data is likely incomplete. The bottom chart shows how the trend changes by month.

Data Updated: 3/14/2021 10:04:18 AM

Deaths: Numbers and Trends





Two views of the number of fatal cases over time by date of symptom onset: the top chart show the number of cases who died each day and the 14-day moving average. The grey bars indicate the dates where data is likely incomplete. The bottom chart shows how the trend changes by month.

Infection Trends by Source



This chart shows the four general sources of infection and their trends using a 14-day moving average, where the dates reflect the date of symptom onset. The shaded bar indicates the date interval where data is likely incomplete.



Deaths by Infection Source and Case Fatality Rate

This chart shows the relationship between cases and deaths via the case fatality rate and the infection source of deaths over time. The table displays the number of deaths from each infection source and its share of fatalities. In the last two months, deaths due to COVID-19 have decreased dramactially, with outbreaks at long-term care facilities (in red) no longer eclipsing other causes.

Distribution and Number of Deaths by Infection Source-Cumulative



These two charts display the cumulative counts and percentages of deaths by source of infection. Also listed are the number of deaths, by place of death, for each source. Note: OB stands for outbreak.

Metrics for Returning to In-Person Instruction (Public Schools)



This diagram tracks the changes in the two metrics associated with a school district's determination to return to some form of in-person learning: the test-based positivity and the number of case per 100,000, both of which are calculated over a two week period (Sunday-Saturday). Shaded areas correspond to case rate and positivity thresholds defined in Exe Order No. 21-06, March, 2021.

County Risk Level Metrics



This diagram tracks the changes in the two metrics associated with County Risk Level determinations: the test-based positivity and the number of case per 100,000, both of which are calculated over a two week period (Sunday-Saturday).

Data Updated: 3/15/2021



This map is a companion to the watch metrics, showing how cases counts and rates during the current watch period (2/28-3/13) varied geographically and how these values compare with those of the previous watch period (2/21-3/6). Dates reflect true case date.



Rate of COVID-19 sporadic cases by zip code in Marion County per 100,000 population, 1/1/20 - 3/13/21, ORPHEUS & Census Bureau

Count of COVID-19 sporadic cases by zip code in Marion County (N=6,825), 1/1/20 - 3/13/21, ORPHEUS & Census Bureau



This slide shows the rate of sporadic (community acquired) COVID-19 illness per 100,000 amongst cases in Marion County. When taking population size into account, sporadic COVID-19 illness was highest in "North County" zip codes (Woodburn, Gervais, Hubbard, and NE Salem/Brooks). Of note, the sporadic case rate is higher in Marion County than Oregon. suggesting that more cases per capita became infected from an unknown source in Marion than Oregon cases as a whole. The bulk of sporadic cases by count are coming from Woodburn, Central Salem, and NE Salem Brooks zip codes. Generated 3/13/21. **Updated biweekly**



Infections Due to Sporadic Transmission

Sporadic cases are infections that have *not* been traced to a source. This chart shows the number of cases due to sporadic infection by symptom onset date over the period of the pandemic and the 14-day moving average of these counts. The grey bars indicates the date interval where case investigation will likely reduce the sporadic counts by identifying an infection source.



This map is a companion to the watch metrics, showing how sporadic cases counts and rates during the current watch period (2/28-3/13) varied geographically and how these values compare with those of the previous watch period (2/21-3/6). Dates reflect true case date.



Distribution of Cases, Hospitalizations and Deaths by Infection Source

Charts display the monthly distribution by infection source for cases, hospitalizations and deaths, over the past four months. The month is assigned by date of symptom onset. Values for the current month will likely change at the next report.

Percentage of COVID-19 cases in Marion County by source of infection, 1/1/20 - 3/13/21, **ORPHEUS**



This slide shows the breakdown of infection source for COVID-19 cases in Marion County. The most common type of infection source in Marion is sporadic transmission (community acquired) (36.2%), followed by household (31.6%). **It is important to note that this figure should not be directly compared to the state figure as they don't take into account differences in population size.** Close contact/cluster = contact between cases from different households not associated with a facility. These are typically referred to as social event outbreaks. Generated 3/13/21. **Updated bi-weekly**

Percentage of COVID-19 cases in Oregon by source of infection, 1/1/20 - 3/13/21, ORPHEUS



This slide shows the percentage of COVID-19 cases by the likely source of infection in Oregon. In Oregon, the most common source of infection for COVID-19 cases are sporadic (45.0%), or that the source cannot be ascertained, these are said to be "community acquired". The second most common source is households (23.8%), followed by outbreaks (21.9%). **It is important to note that this figure should not be directly compared to the Marion figure as they don't take into account differences in population size.** Generated 3/13/21. **Updated bi-weekly**

Percentage of COVID-19 cases associated with an outbreak by type of facility in Marion County, 1/1/20 - 3/13/21, ORPHEUS,



This slide shows the overall summary of source of COVID-19 illness in Marion County with a further breakdown of outbreaks. OB = outbreaks. Generated 3/13/21. **Updated bi-weekly**



This slide shows the percentage and count of COVID-19 cases by type of outbreak facility in Marion County. The most common source of outbreaks were at longterm-care-facilities (LTCF) (28.4%), followed by corrections (19.2%), and residential care (9.4%). Generated 3/13/21. **Updated bi-weekly**

Percentage of COVID-19 deaths in Marion County with underlying medical conditions (N=93), ORPHEUS, 9/27/20



This slide shows the percentage of COVID-19 deaths in Marion County with underlying medical conditions. All of the 93 people who've died at the time of this report in Marion County had some sort of underlying medical condition (100.0%). The most common underlying condition for those who've died was heart related (62.4%), neurological (e.g. dementia) (50.5%), diabetes (36%), and other conditions (34.4%). Other conditions can be any chronic condition that doesn't fall into the groups listed above (e.g. anemia, hypertension (high blood pressure), arthritis, cancer, etc.). Generated 10/1/20. **Updated as needed**

Percentage of COVID-19 deaths in Marion County by the number of underlying medical conditions present at time of death (N=93), ORPHEUS, 9/27/20



This slide shows the percentage of COVID-19 deaths broken out by the number of underlying conditions present at time of death. The majority of cases who died had 3 or more underlying illnesses. The average number of conditions was 2.8, with a minimum of 1, and maximum of 7. Generated 10/1/20. **Updated as needed**



Rate of COVID-19 cases by race & ethnicity in Marion County per 10,000 population, 1/1/20 - 3/15/21, ORPHEUS & Census Bureau

Count of COVID-19 cases (N=18,878) by race & ethnicity in Marion County, 1/1/20 - 3/15/21, ORPHEUS & Census Bureau



COVID-19 illness disproportionately affects communities of color. People who identified as Other or Multiracial had the highest incidence rates of any racial group in Marion County. People who identified as Hispanic or LatinX had higher incidence rates than their Non-Hispanic or LatinX counterparts (736.3 per 10,000 Vs. 239.3 per 10,000). At this time, 6,901 people from the Hispanic or LatinX community have had COVID-19 illness. Generated 3/13/21. **Updated bi-weekly**.



Rate of COVID-19 hospitalizations by race & ethnicity in Marion County per 10,000 population, 1/1/20 - 2/1/21, ORPHEUS & Census

Count of COVID-19 hospitalizations(N=919) by race & ethnicity in Marion County, 1/1/20 - 2/1/21, ORPHEUS & Census Bureau



In the community, people who identified as Native Hawaiian or Pacific Islander had the highest rate of hospitalizations from COVID-19 of any racial group (101.7 per 10,000). People who identified as Hispanic or LatinX had higher hospitalization rates than their Non-Hispanic or LatinX counterparts (34.5 per 10,000 Vs. 21.3 per 10,000). At this time, 919 people in the community have been hospitalized with COVID-19. Generated 2/1/21. **Updated monthly**



Rate of COVID-19 deaths by race & ethnicity in Marion County per 10,000 population, 1/1/20 - 2/1/21, ORPHEUS & Census Bureau

Count of COVID-19 deaths (N=259) by race & ethnicity in Marion County, 1/1/20 - 2/1/21, ORPHEUS & Census Bureau



The COVID-19 mortality rate was highest amongst the Native Hawaiian and **Pacific Islander** community (19.2 per 10,000) in Marion County. People who identified as non-Hispanic or LatinX had higher mortality rates from COVID-19 than their **Hispanic or LatinX** counterparts (7.9 per 10,000 Vs. 5.3 per 10,000). At this time, 259 people in the community have died due to COVID-19. Generated 2/1/21. **Updated monthly**