

# Outdoor Aquatic Venue Daily Record Sheet

(NO Stabilizer / Cyanuric Acid)



**Marion County**  
OREGON  
Health & Human Services

|               |                           |   |
|---------------|---------------------------|---|
| Month / Year: | Name of Aquatic Venue:    | <b>Monthly Testing</b><br>• Calcium Hardness: _____ ppm<br>• Saturation Index: _____<br>• GFCI Devices: <input type="checkbox"/> Pass <input type="checkbox"/> Fail |
| Address:      | Pool Volume:              |   |
|               | Min. Turnover Rate (gpm): |   |

| DATE | Daily Pre-Opening Check |                   |    |                 |                    | Total Alkalinity (weekly) | Free Cl / Br / ORP & pH Readings (Every Hour) |    |               |    |               |    |               |    |               |    |               |    | Operator's Initials | Comments:<br>Chemical Added / Amount<br>Pool Problems<br>Mechanical Breakdowns<br>Swimmer Emergencies<br>→ (File Accident Report)<br>Backwashed<br>Filters Cleaned<br>Other |
|------|-------------------------|-------------------|----|-----------------|--------------------|---------------------------|---|----|---------------|----|---------------|----|---------------|----|---------------|----|---------------|----|---------------------|---|
|      | Free Chlorine/Bromine   | Combined Chlorine | pH | Flow Rate - GPM | Daily Inspection ✓ |                           | FC   Br   ORP                                 |    | FC   Br   ORP |    | FC   Br   ORP |    | FC   Br   ORP |    | FC   Br   ORP |    | FC   Br   ORP |    |                     |   |
|      |                         |                   |    |                 |                    |                           | FC  | pH | FC            | pH | FC            | pH | FC            | pH | FC            | pH | FC            | pH |                     |   |
| 1    |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 2    |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 3    |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 4    |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 5    |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 6    |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 7    |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 8    |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 9    |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 10   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 11   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 12   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 13   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 14   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 15   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 16   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 17   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 18   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 19   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 20   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 21   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 22   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 23   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 24   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 25   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 26   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 27   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 28   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 29   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 30   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |
| 31   |                         |                   |    |                 |                    |                           |   |    |               |    |               |    |               |    |               |    |               |    |                     |   |

| Reagent Expiration Dates |    |            |                  |        |
|--------------------------|----|------------|------------------|--------|
| Chlorine                 | pH | Alkalinity | Calcium Hardness | Other: |
|                          |    |            |                  |        |
|                          |    |            |                  |        |
|                          |    |            |                  |        |

| Aquatic Venue Water Quality Parameters (no CYA) |         |          |
|---|---------|----------|
|   | Min     | Max      |
| Free Chlorine                                   | 1.0 ppm | 10 ppm   |
| Combined Chlorine                               | 0 ppm   | 0.4 ppm  |
| Bromine   | 3.0 ppm | 8.0 ppm  |
| pH  | 7.0     | 7.8      |
| Total Alkalinity                                | 60 ppm  | 180 ppm  |
| Cyanuric Acid                                   | 0 ppm   | 90 ppm   |
| Calcium Hardness                                | 0 ppm   | 2500 ppm |
| ORP   | 600 mV  | 900 mV   |