97-04541

O.M.B. NO. 3067-0077 Expires May 31, 1996

## **ELEVATION CERTIFICATE**


## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

Instructions for completing this form can be found on the following pa	iges.	
SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME TED METHYIN	POLICY NUMBER	
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER  8094 OLNEY RD	COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and Block Numbers, etc.)		
AUMSVILLE, OR 97325 STATE	ZIP CODE	
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATIO	N	
Provide the following from the proper FIRM (See Instructions):		
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 4/0/54 0275 C	6. BASE FLOOD ELEVATION (in AO Zones, use depth)  334.00	
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '28. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE the community's BFE:	Other (describe on back) for this building site, indicate	
SECTION C BUILDING ELEVATION INFORMATION		
of 370.4 feet NGVD (or other FIRM datum—see Section B, Item 7).  (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural members the selected diagram, is at an elevation of feet NGVD (or other FIRM datum—see (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is below (check one) the highest grade adjacent to the building.  (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet one) the highest grade adjacent to the building. If no flood depth number is available, is the building level) elevated in accordance with the community's floodplain management ordinance? Yes Indicate the elevation datum system used in determining the above reference level elevations: Number Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is distinct the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM equation under Comments on Page 2.)  4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4)	Section B, Item 7).  feet above or  above or below (check ng's lowest floor (reference   No Unknown   GVD '29 Other (describe fferent than that used on	
<ul> <li>5. The reference level elevation is based on: actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference lever case this certificate will only be valid for the building during the course of construction. A post-construction will be required once construction is complete.)</li> <li>6. The elevation of the lowest grade immediately adjacent to the building is: 18139.0 feet NGV Section B, Item 7).</li> </ul>	uction Elevation Certificate	
SECTION D COMMUNITY INFORMATION		
1. If the community official responsible for verifying building elevations specifies that the reference leve is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation floor" as defined by the ordinance is:	on of the bullding's lowest	

## 



Owner Name: METHVIN, THEODORE J

Tax Number: 57866000

Parcel Number: 900

Planning Map Number: 51 scale 1:3329.381853527

FLOOD ZONE: A

**GLA: STAYTON-SUBLIMITY** Fire District: AUMSVILLE

AAC: 2-3

Zip Code: 97301,SALEM


Marion County Planning Division, 503-588-5038, June 1997

## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the in I understand that	nformation in Sectior any false statement	ns B and C on this certific may be punishable by fi	cate represents my ine or imprisonmer	v best efforts to a nt under 18 U.S.	interpret the date Code, Section	AGINEESO	۸.
CERTIFIER'S NAME	KYLE T.	SELKIER	LICENSE	NUMBER (or Affix 5		17.289 Se	beck
TITLE ENGI	NEER SO	SELKIRK IRVEY MNGR	MPANY NAME R <i>IVE</i> R	SIDE EI	ug.	ULY 19, 1992	
ADDRESS /950	TURNER	RD.	SALE	m, e	P	ATE. SELL	ZIP <b>9730</b> 2
SIGNATURE	de To	Selpik	JUNE 1	DATE 1997	PHONE 58	31-6362	
Copies should b	e made of this Cer	tificate for: 1) commun	ity official, 2) inst	urance agent/c	ompany, and 3)	building owner	•
COMMENTS:							
							<del>-</del>
						=======================================	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.