FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

O.M.B. No. 3067-0077 Expires July 31, 2002

		SECTION	A - PROPERTY OV	VNER INFOR	MATION	For Insurance Company Use:
BUILDING OWNER'S NAME			****			Policy Number
Ralph Bender						FP04-12
BUILDING STREET ADDRES	S (Including Apt., Ur	nit, Suite, and/or Bldg. I	No.) OR P.O. ROUTE AN	D BOX NO.	g* .) The last data are last data.	Company NAIC Number
11945 Riverhaven Ln						
CITY		Name of the last o	STATE		THE	ZIP CODE
Stayton			OR			97383
PROPERTY DESCRIPTION (Lot and Block Numb	ers, Tax Parcel Numbe	r, Legal Description, etc.)			
Tax lot 9 1E 14DC 40	0					
BUILDING USE (e.g., Resider	ntial, Non-residential,	Addition, Accessory, e	tc. Use Comments section	on if necessary.)		
Non-residential shop						
LATITUDE/LONGITUDE (OPTIONAL)	HORIZON	TAL DATUM:	SOURC	CE: GPS (Type)	:
(## - ##' - ## ##" or ## ####	#)	NAD 1927 [NAD 1983		USGS Quad	d Map ☐ Other:
	SEC	TION B - INSURA	NCE RATE MAP (F	FIRM) INFOR	MATION	
B1. NFIP COMMUNITY NAME & C	OMMUNITY NUMBER		B2. COUNTY NAME			B3. STATE
Marion County Uninco	rporated Area	410154	Marion			OR
B4. MAP AND PANEL NUMBER	B5. SUFFIX	B6. FIRM INDEX DATE			B8. FLOOD ZONE(S)	B9. BASE FLOOD
			EFFECTIVE/REVISED	DATE		(Zone AO, use depth of flooding)
41047C0750	G	1/19/2000	1/19/2000		Α	586.50
B10. Indicate the source	e of the Base Fl					
FIS Profile	☐ FIRM	Communi	ty Determined	X Other (D	escribe): see ba	<u>ck</u>
B11. Indicate the eleva	tion datum used	for the BFE in B9	9; 🛛 NGVD 1929	NAVD 1	988 🗌 Other (1	Describe):
B12. Is the building loca	ated in a Coasta	l Barrier Resourc	es System (CBRS)	area or Othe	rwise Protected A	rea (OPA)? 🗌 Yes 🗵 No
Designation Date:			w ve 1800 was a second and a second a second and a second a second and			,
		N.C. BIIII DING I	ELEVATION INFOR	MATION (SI	IRVEY RECUIR	=D)
C1. Building elevations					onstruction* 🗵 F	inished Construction
	•		ction of the building is	•		
						this certificate is being completed
see instruction pag	es 6 and 7. If n	o diagram accura	tely represents the	building, prov	/ide a sketch or p	hotograph.)
C3. Elevations - Zones	A1-A30, AE, AF	I, A (with BFE), V	E, V1-V30, V (with	BFE), AR <mark>, A</mark> F	R/A, AR/AE, AR/A	1-A30, AR/AH, AR/AO.
Complete Items C3a-	i below according	to the building diag	ram specified in Item (C2. State the d	atum used. If the da	atum is different from the datum
						onversion calculation.
			D or Section G, as app		cument the datum	conversion.
			: 1941=593.65 (see			
Elevation reference n	nark used none	Does t	he elevation reference	e mark used ap	pear on the FIRM?	Yes X No
[X] a) Top of bottom f	loor (including ba	sement or enclosure))	588	3.61 ft.(m)	License Number, Embossed Seal, Signature, and Date
[X] b) Top of next hig	her floor).00 ft.(m)	Signature, and Date
X c) Bottom of lower		tural member (V zor	nes only)		0.00 ft.(m)	
[X] d) Attach garage (•••••••••••••••••••••••••••••••••••••••	**		0.00 ft.(m)	
X e) Lowest elevation		nd/or equipment ser	vicing the building		0.00 ft.(m)	
·		id/or equipment ser	violing the building		7.00 ft.(m)	
X f) Lowest adjacen	=				` '	
X g) Highest adjace					3.50 ft.(m)	
			above adjacent grade	0		
i) Total area of all	permanent openii	ngs (flood vents) in (C3h <u>0</u>	sq. in	. (sq. cm)	
	SECTIO	N D - SURVEYO	R, ENGINEER, OR	ARCHITECT	CERTIFICATIO	N
This certification is to be s						··
I nis certification is to be s						
				ler 18 U.S. Cod	ie, secuori roor.	
			or imprisonment und		e, Section 1001.	
CERTIFIER'S NAME			or imprisonment und	NUMBER	e, Section 1001.	
			e or imprisonment und LICENSE I PE12 COMPANY	NUMBER 9 24 7 NAME		
CERTIFIER'S NAME Corbey Boatwright TITLE Civil Engineer			e or imprisonment und LICENSE I PE129 COMPANY Boatw	NUMBER 924	ering Inc	
CERTIFIER'S NAME Corbey Boatwright TITLE Civil Engineer ADDRESS			e or imprisonment und LICENSE I PE12! COMPANY Boatw CITY	NUMBER 9 24 7 NAME 7right Enginee	ering Inc	ZIP CODE
CERTIFIER'S NAME Corbey Boatwright TITLE Civil Engineer ADDRESS 2613 12th St SE			e or imprisonment und LICENSE I PE129 COMPANY Boatw CITY Salem	NUMBER 9 24 7 NAME 7right Enginee	ering Inc STATE OR	ZIP CODE 97302
CERTIFIER'S NAME Corbey Boatwright TITLE Civil Engineer ADDRESS			e or imprisonment und LICENSE I PE12! COMPANY Boatw CITY	NUMBER 924 (NAME rright Enginee	ering Inc	97302

iMPORTANT: In these spaces.	copy the corresponding informa	ation from Sec	tion A.	For Insu	rance Company Use:
BUILDING STREET ADDRESS (Including	Apt., Unit, Suite, and/or Bldg. No.) OR P.O. I	ROUTE AND BOX	NO.	Policy Nu	
Riverhaven	CTATE		ZIP CODE	FP04-	·12 NAIC Number
CITY	STATE OR		97383	Company	THAT I THURIDO!
Stayton SECTION	D - SURVEYOR, ENGINEER, OF	R ARCHITECT		(CONTINUE	D)
Copy both sides of this Elevation	Certificate for (1) community office				
COMMENTS The building is a shop. The BF	E was determined by the river stat	ion and elevati	on from FIS profile	page 72P &	73P.
The length of the river between	these two points and the elevtatio	ns were prorate	ed to the subject pr	operty. The	walls
were not finished at the time the	ese elevations were taken.				
					ck here if attachments
	VATION INFORMATION (SURVE)				
information for a LOMA or LOMR	at BFE), complete Items E1 through R-F, Section C must be completed.				
E1. Building Diagram Number - (pages 6 and 7. If no diagram	Select the building diagram most so accurately represents the building	similiar to the bi g, provide a ske	uilding for which thi etch or photograph	is certificate is .)	s being completed - see
the highest adjacent grade.	g basement or enclosure) of the bu			. (X above or below
E3. For Building Diagrams 6-8 w	ith openings (see page 7), the nex n.(cm) above the highest adjacent	grade.			
E4. For Zone AO only: If no flood floodplain management ordin	l depth number is available, is the nance? □ Yes □ No □ Unkr	top of the botto	om floor elevated in al official must certi	accordance fy this information	with the community's ation in Section G.
SECTION	N F - PROPERTY OWNER (OR O	WNER'S REPR	RESENTATIVE) CE	RTIFICATIO	N
The property owner or owner's a community-issued BFE) or Zone	uthorized representative who comp AO must sign here.	pletes Section	A, B, and E for Zon	e A (without l	FEMA -issued or
PROPERTY OWNER'S OR OWNER'S AU	THORIZED REPRESENTATIVE'S NAME	,			
ADDRESS		CITY	AND SEC. N. P. W. P. A. P.	STATE	ZIP CODE
SIGNATURE		DATE	TELE	EPHONE	
COMMENTS (NGVD29) = 597.09 (NAVD88)					
				☐ Che	ck here if attachments
	SECTION G - COMMUNIT				
Sections A, B, C (or E), and G of	ed by law or ordinance to administo f this Elevation Certificate. Comple	te the applicab	le item(s) and sign	below.	
G1. The information in Section engineer, or architect who elevation data in the Com	n C was taken from other documer o is authorized by state or local law nments area below.)	ntation that has v to certify elev	been signed and eation information. (embossed by Indicate the s	a licensed surveyor, ource and date of the
G2. A community official companies AO.	pleted Section E for a building loca	ated in Zone A	(without a FEMA-is	sued or comr	munity-issued BFE) or
	(Items G4-G9) is provided for com				
G4. PERMIT NUMBER	G5. DATE PERMIT ISSUED	G6.	DATE CERTIFICATE OF CO	OMPLIANCE/OCCU	PANCY ISSUED
G7. This permit has been issued	for: New Construction S	Substantial Imp	rovement		
G8. Elevation of as-built lowest f	loor (including basement) of the bu	uilding is:		` '	tum:
G9. BFE or (in Zone AO) depth of	of flooding at the building site is:			ft.(m) Da	tum:
Local official's name Les Sasaki			pal Planner		
COMMUNITY NAME		TELEPHOI (503)	^{NE} 588-5038		
Marion County SIGNATURE		DATE	Common and		
COMMENTS		10/26/	/2004		
	.,				
			10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
				□ Che	ck here if attachments

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires December 31, 2005

ELEVATION CERTIFICATE

ELEVATION Services on pages 1 - 7.	
Important: Read the instructions on pages 1 - 7.	For Insurance Company Use:
Important: Read the Institution SECTION A - PROPERTY OWNER INFORMATION	Policy Number
UILDING OWNER'S NAME	Company NAIC Number
WILDING OWNER'S NAME RAIPH Bender RAIPH Bender Building Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. WILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.	Company water and
FUILDING STREET ADDRESS (Including Apt., Unit, Suite, and Disgraphics Lane STATE)	ZIP CODE
11945 Riverhaven Latte STATE Oregon	97383
Stayten Stayten	
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)	
Tax Lot 9/E 14DC 4CO Use a Comments area, if necessary.)	
ROPERTY DESCRIPTION (Lot and Block Harmonian Accessory, etc. Use a Comments area, if necessary.) Tax Lot 91E 14DC 4CO Tax Lot 91E 14DC 4CO SUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use a Comments area, if necessary.) Work residential, HORIZONTAL DATUM: SOURCE: L. I GPS (Type):	
HORIZONTAL DATUM: SOURCE: LIGPS (1996)	Map L Other
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMAT	TION
B1. NEIP COMMUNITY NAME & COMMUNITY NUMBER B2. COUNTY NAME Marion Holst Marion Holst Holst	Oregon
11 MARTATER AFRA	D B9. BASE FLOOD ELEVATION(S)
B5 SUFFIX B6, FIRM INDEX SECRETIVE/BEVISED DATE ZONE(O)	(Zone AU, use depart of moderning)
BA, WAT AND DATE	586 5
Jun 62) Jun	c b. k
310. Indicate the source of the Base Flood Elevation (BFE) data of base flood Elevatio	See back
Indicate the source of the Base Flood Electron o	er (Describe):
Indicate the elevation datum used for the BFE in B9. [LE] HOTE (CBRS) area or Otherwise Protecter	d Area (OPA)? [] Tes [Z]
12 Is the building located in a Coustain a	
Designation Date:	QUIRED)
SECTION C - BUILDING ELEVATION IN ORMATION (Construction)	on* Finished Construction
Dentings* Dulling Office	
are bacen (ii) (Oo)(out-out-out-out-out-out-out-out-out-out-	
C1. Building elevations are based on Lindon when construction of the building is complete.	this certificate is being completed - see
*A new Elevation Certificate the building diagram most similar to the building for William	• • • • • • • • • • • • • • • • • • • •
*A new Elevation Certificate will be seen the building diagram most similar to the building for White Seen the building provide a sketch or photograph.)	ADIAH ARIAO
*A new Elevation Certificate will be seen the building diagram most similar to the building for Whish C2. Building Diagram Number (Select the building diagram most similar to the building for Whish C2. Building Diagram Number (Select the building diagram most similar to the building for Whish C2. Building Diagram Number (Select the building diagram most similar to the building for Whish C2. Building Diagram Number (Select the building diagram most similar to the building for Whish C2. Building Diagram Number (Select the building diagram most similar to the building for Whish C2. Building Diagram Number (Select the building diagram most similar to the building for Whish C2. Building Diagram Number (Select the building diagram most similar to the building for Whish C2. Building Diagram Number (Select the building diagram most similar to the building for Whish C2. Building Diagram Number (Select the building diagram most similar to the building for Whish C2. Building Diagram Number (Select the building for Whish C2. Buildi	AR/A1-A30, AR/AH, AR/AO
*A new Elevation Certificate will be required to the building diagram most similar to the building for White C2. Building Diagram Number (Select the building diagram most similar to the building for White C2. Building Diagram Number (Select the building provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from
*A new Elevation Certificate will be seen the building diagram most similar to the building for which the complete Items C3.a-i below according to the building diagram most similar to the building for which the case of the building diagram most similar to the building of the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, ACCURATE See and T3. If no diagram accurately represents the building diagram specified in Item C2. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C4.	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion
*A new Elevation Certificate will be seen the building diagram most similar to the building for which the complete Items C3.a-i below according to the building diagram most similar to the building for which the case of the building diagram most similar to the building of the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, ACCURATE See and T3. If no diagram accurately represents the building diagram specified in Item C2. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C4.	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. D29) = 59709 (NAVD 8)
*A new Elevation Certificate will be seen the building diagram most similar to the building for which the complete Items C3.a-i below according to the building diagram most similar to the building for which the case of the building diagram most similar to the building of the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, ACCURATE See and T3. If no diagram accurately represents the building diagram specified in Item C2. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C3. State the date of the building diagram specified in Item C4.	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. D29) = 59709 (NAVD 8)
*A new Elevation Certificate with the building diagram most similar to the building for which the building Diagram Number (Select the building diagram most similar to the building for which pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, ACCOMMENTATION COMMENTATION COMMENTAT	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. D29) = 59709 (NAVD 8)
*A new Elevation Certificate with the building diagram most similar to the building for which the building Diagram Number 1 (Select the building diagram most similar to the building for which pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR (C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR (C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR (C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR (C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR (C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR (C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR (C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR (C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/AE, AR/AE	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. 10.29) = 59709 (NAVD 8) appear on the EIBMA Yes Yes No. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10
*A new Elevation Certificate with Select the building diagram most similar to the building of whom the space of and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) ages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) ages 6 and 7. If no diagram accurately represents the building provide in Item C2. State the data Complete Items C3.a-i below according to the building diagram specified in Item C2. State the data Complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data can can can can can can can can can ca	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion 0.24) = 59709 (NAVD 8) appear on the EIBMA Yes
*A new Elevation Certificate with Select the building diagram most similar to the building of whom the space of and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) ages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) ages 6 and 7. If no diagram accurately represents the building provide in Item C2. State the data Complete Items C3.a-i below according to the building diagram specified in Item C2. State the data Complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C2. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data complete Items C3.a-i below according to the building diagram specified in Item C3. State the data can can can can can can can can can ca	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion 0.24) = 59709 (NAVD 8) appear on the EIBMA Yes
*A new Elevation Certificate with the total structural member (V zones only) *A new Elevation Certificate with the total structural member (V zones only) *A new Elevation Certificate with the building diagram most similar to the building of which the space of slab. *A new Elevation Plagram All Select the building diagram most similar to the building of the provide a sketch or photograph.) *A new Elevation Plagram Number 1 (Select the building diagram most similar to the photograph.) *A new Elevation Plagram Number 1 (Select the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State Items C3.a-i below according to the building diagram specified in Item C2. State Items C3.a-i below according to the building diagram specified in Item C2. State Items C3.a-i	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion 0.29) = 5.77.09 (NAVO 8.) appear on the EBBOT Yes XIN REPORT OF CONTROL 12.924
*A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (Manual Structural Manual Structural M	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion 0.29) = 5.77.09 (NAVO 8.) appear on the EBBOT Yes XIN REPORT OF CONTROL 12.924
*A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (V zones only) *A new Elevation Certificate with Structural member (Manual Structural Manual Structural M	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion 0.29) = 5.77.09 (NAVO 8.) appear on the EBBOT Yes XIN REPORT OF CONTROL 12.924
*A new Elevation Certificate with 5 depth and 5 depth	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion 0.24) = 57709 (NAVO 8) appear on the FIRM Yes X N PROPERTY OR EGON 12.924 OR EGON
*A new Elevation Certificate with State of the building diagram most similar to the building of which the Building Diagram Number	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion 0.24) = 57709 (NAVO 8) appear on the FIRM Yes X N PROPERTY OR EGON 12.924 OR EGON
*A new Elevation Certificate with the building diagram most similar to the building of which the building Diagram Number	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion 0.29) = 5.77.09 (NAVO 8) appear on the EBMT Yes X N PROPER OREGON OREGON
*A new Elevation Certificate with Collection of the building diagram most similar to the building of which the building Diagram Number 1 (Select the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building diagram specified in Item C2. State the date Complete Items C3.a. AR, AR/A, AR	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion 0.29) = 57709 (NAVO 8) appear on the FIRM? Yes N PROPERTY OREGON 12.324 OREGON BOAT WRITE
*A new Elevation Certificate with the Duilding diagram most similar to the Building North Minds. Building Diagram Number 1 (Select the building diagram most similar to the Building to the Brack or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR Complete Items C3. a-i below according to the building diagram specified in Item C2. State the date the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field not the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field not calculation. Use the space provided or the Comments area of Section D or Section G, as appropring appropriate to the datum to that used for the BFE. Show field not calculation. Use the space provided or the Comments area of Section D or Section G, as appropriately appropriate to the datum to that used for the BFE. Show field not the datum used for the BFE. Show field not be datum to that used for the BFE. Show field not be datum to that used for the BFE. Show field not the datum used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the datum to that used for the BFE. Show field not the	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. D 24) = 59709 (NAVD 80) appear on the FIRM PROPESS WAS BOAT WHILE
*A new Elevation Certificate with Diagram Number 1 (Select the building diagram most similar to the building Diagram Number 1 (Select the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field in the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field in the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field in the datum used for the BFE. Show field in the datum used for the BFE. Show field in the datum used for the BFE. Show field in the datum used for the BFE. Show field in the datum used for the BFE. Show field in the datum used for the BFE. Show field in the datum to that used for the BFE. Show field in the datum to that used for the BFE. Show field in the datum to that used for the BFE. Show field in the datum to that used for the BFE. Show field in the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE in Section B, very field in the C2. State the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE. Show field in the C2. State the datum to that used for the BFE. Sho	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. 0.29) = 57709 (NAVO 80) appear on the EIRM Yes Ye
*A new Elevation Certificate with the building diagram most similar to the building for which pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately Pages 7. If no diagram accurately Pages 8. And A.	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. D29 = 57709 (NAVO 8) appear on the FIBMA Yes Yes No. TROPES Yes No. PROPES NO. PROPES
*A new Elevation Certificate with Diagram Number 1 (Select the building diagram most similar to the building for which pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram specified in term C2. State the date of a sketch or photograph.) Pages 6 and 7. If no diagram specified in term C2. State the date of a sketch or photograph.) Pages 6 and 7. If no diagram specified in term C2. State the date of a sketch or photograph.) Pages 6 and 7. If no diagram specified in term C2. State the date of a sketch or photograph.) Pages 6 and 7. If no diagram specified in term C2. State the date of a sketch or photographs.) Pages 6 and 7. If no diagram specified in term C2. State the date of a sketch or photographs.) Pages 6 and 7. If no diagram specified in term C2. State the date of a sketch or photographs.) Pages 6 and 7. If no diagram specified in term C2. State the date of a sketch or photographs. Pages 6 and 7. If no diagram specified in term C2. State the date of a sketch or photographs. Pages 7. If no diagram specified in term C2. It no diagram specified in term C2. It no diagram spe	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. D 29 = 57709 (NAVO 8) appear on the FIBMA Yes Ye
*A new Elevation Certificate with the building diagram most similar to the building for which pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately Pages 7. If no diagram accurately Pages 8. And A.	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. D 29 = 57709 (NAVO 8) appear on the FIBMA Yes Ye
*A new Elevation Certificate with Select the building diagram most similar to the building has a Building Diagram Number 1 (Select the building diagram most similar to the building has a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building diagram specified in Item C2. State the dature of the Bre. Show field in tem C2. State the dature of Section D or Secti	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion nate, to document the datum is different from nate, to document the datum conversion nate, to document the datum is different from nate, to document the datum conversion nate, to do
*A new Elevation Certificate multiple of the building diagram most similar to the building of pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building diagram specified in Item C2. State the dature of the pages of the dature of the dature used of the BFE. Show field in the model of the dature of the pages of t	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. D29 = 57709 (NAVD 8) appear on the EIBMR Yes
C2. Building Diagram Number (County) pages 6 and 7. If no diagram accurately represents the building, provide a sketch of photographi, pages 6 and 7. If no diagram accurately represents the building, provide a sketch of photographi, pages 6 and 7. If no diagram accurately represents the building, provide a sketch of photographi, pages 6 and 7. If no diagram accurately represents the building, provide a sketch of photographi, pages 6 and 7. If no diagram accurately represents the building, provide a sketch of photographi, pages 6 and 7. If no diagram accurately represents the building, provide a sketch of photographi, pages 6 and 7. If no diagram accurately represents the building, provide a sketch of photographi. A.A., ARVA, AR	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. D29) = 57709 (NAVO 80) appear on the FIRM Yes X No. PROPERTY OR EGON 12.924 OR EGON FICATION Exp. 28. 198 BOAT WRITE AND TO SECOND BOAT WRITE
*A new Elevation Certificate with Coselect the building diagram most similar to the building for most specified in the building pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building provide in the MC2. State the date of the BFE show field in the MC2. State of the BFE show	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. 0.29) = 57709 (NAVO 80) appear on the EIRM PROPERS appear on the EIRM PROPESS A law to certify elevation information. interpret the data available. OREGON A law to certify elevation information. interpret the data available. OREGON A law to certify elevation information. ABER E 1.2924 TELEPHONE TELEPHONE
*A new Elevation Certificate with Select the building diagram most similar to the building of without pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building in graph provided in the C2. State the date Complete them C2. State the date Complete in the Case Complete in the C2. State the date Complete in the C2. State the date Complete in the Case Case Complete in the Case Case Complete in the Case C	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from measurements and datum conversion riate, to document the datum conversion. D29) = 59709 (NAVO 80) appear on the FIRM PROPERTY appear on the FIRM PROPERTY BOAT WRITE B
*A new Elevation Certificate with C2. Building Diagram Number 1 (Select the building diagram most similar to the building diagram Number pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) Pages 6 and 7. If no diagram accurately represents the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below according to the building diagram specified in Item C2. State the date Complete Items C3.a-i below feel on the building diagram specified in Item C2. State the date Complete Items C3.a-i below feel of the date of according to the date of the BFE. Show field in Item C2. State the date C3. Item C4. And Item C4. Item C4. Item C5. Item C5. Item C5. Item C5. Item C6. Item C	AR/A1-A30, AR/AH, AR/AO um used. If the datum is different from neasurements and datum conversion riate, to document the datum conversion. 0.29) = 57709 (NAVO 8) appear on the EIRM I Yes XI No PROPERTY OREGON 12.924 OREGON I aw to certify elevation information. interpret the data available. Ode, Section 1001. ABER FEIGHT ENGINEER 2IP CODE 91502 TELEPHONE

	paces, copy the corresponding inform		For Insurance Company Use:
BUILDING STREET ADDRES	SS (Including Apt., Unit, Suite, and/or Bldg. No	o.) OR P.O. ROUTE AND BOX NO.	Policy Number
CITY	STATE	ZIP CODE	Company NAIC Number
SI	ECTION D - SURVEYOR, ENGINEER, C	OR ARCHITECT CERTIFICATION (CO	NTINUED)
	evation Certificate for (1) community offic		
COMMENTS The bai	Iding is a shop. The	BFE was determined by	the river station d
elevation from FI:	Iding is a shep. The profite pg 72P& 73P. 7 elevation, were prorated lally were not finish	The length of the river L	return those to
pents and the	elevations were provated	To the subjects property	·
The W	tally were not finish	at the time these elev	Check here if attach
SECTION E - BUILDIN	IG ELEVATION INFORMATION (SURV	EY NOT REQUIRED) FOR ZONE AO	IND ZONE A (WITHOUT BF
information for a LOMA or LE1. Building Diagram Numbersee pages 6 and 7. If n E2. The top of the bottom flood (check one) the highest F3. For Building Diagrams 6 [ft. (m) [inE4. The top of the platform of t	without BFE), complete Items E1. through OMR-F, Section C must be completed. Der (Select the building diagram model of control of the	nost similar to the building for which this lding, provide a sketch or photograph.) If the building is $ O O $ ft. (m) $ O I $ in available.) higher floor or elevated floor (elevation Complete Items C3.h and C3.i on front the building is $ I $ ft. (m) $ I $ in.	certificate is being completed (cm) $ X $ above or $ _ $ below b) of the building is of form.
(check one) the highest	adjacent grade. (Use natural grade, if a o flood depth number is available, is the t	ivailable.)	
floodplain management	ordinance? Yes No Un	known. The local official must certify thi	s information in Section G.
	ECTION F - PROPERTY OWNER (OR O		
(without a FEMA-issued or the best of my knowledge.	er's authorized representative who comp community-issued BFE) or Zone AO mu WNER'S AUTHORIZED REPRESENTATIVE	ist sign here. The statements in Section	c3.i only), and E for Zone A as A, B, C, and E are correct
		CITY STATE	ZIP CODE
ADDRESS			
SIGNATURE		DATE TELEPH	ONE
COMMENTS			
			Check here if attach
	SECTION C. COMMUNIC	TY INFORMATION (OPTIONAL)	1
The local efficial who is suith		the community's floodolain managemen	it ordinance can complete
Sections A, B, C (or E), and G1. The information in S engineer, or archite elevation data in the G2. A community official Zone AO.	orized by law or ordinance to administer G of this Elevation Certificate. Complete Section C was taken from other documented who is authorized by state or local law e Comments area below.) I completed Section E for a building local mation (Items G4-G9) is provided for comments.	e the applicable item(s) and sign below. Itation that has been signed and embose Ito certify elevation information. (Indicated in Zone A (without a FEMA-issued o	sed by a licensed surveyor, te the source and date of the r community-issued BFE) or
Sections A, B, C (or E), and G1. The information in S engineer, or archite elevation data in the G2. A community official Zone AO.	orized by law or ordinance to administer G of this Elevation Certificate. Complete Section C was taken from other documented who is authorized by state or local law e Comments area below.) I completed Section E for a building local	e the applicable item(s) and sign below. Itation that has been signed and embose Ito certify elevation information. (Indicated in Zone A (without a FEMA-issued o	sed by a licensed surveyor, te the source and date of the r community-issued BFE) or s.
Sections A, B, C (or E), and G1. The information in Sengineer, or archite elevation data in the G2. A community official Zone AO. G3. _ The following inform G4. PERMIT NUMBER G7. This permit has been iss G8. Elevation of as-built lower.	orized by law or ordinance to administer G of this Elevation Certificate. Complete Section C was taken from other document of the comments area below.) I completed Section E for a building locat mation (Items G4-G9) is provided for comments.	e the applicable item(s) and sign below. Itation that has been signed and embose Ito certify elevation information. (Indicated in Zone A (without a FEMA-issued of munity floodplain management purpose) G6. DATE CERTIFICATE OF ISSUED	sed by a licensed surveyor, te the source and date of the r community-issued BFE) or s. COMPLIANCE/OCCUPANCY ft. (m) Datum:
Sections A, B, C (or E), and G1. The information in Sengineer, or archite elevation data in the G2. A community official Zone AO. G3. _ The following inform G4. PERMIT NUMBER G7. This permit has been iss G8. Elevation of as-built lower.	orized by law or ordinance to administer G of this Elevation Certificate. Complete Section C was taken from other document of the comments area below.) I completed Section E for a building locat mation (Items G4-G9) is provided for comments of DATE PERMIT ISSUED seed for: New Construction est floor (including basement) of the building basement)	e the applicable item(s) and sign below. Itation that has been signed and embose Ito certify elevation information. (Indicated in Zone A (without a FEMA-issued of munity floodplain management purpose) G6. DATE CERTIFICATE OF ISSUED	sed by a licensed surveyor, te the source and date of the r community-issued BFE) or s. COMPLIANCE/OCCUPANCY ft. (m) Datum:
Sections A, B, C (or E), and G1. The information in Sengineer, or archite elevation data in the G2. A community official Zone AO. G3. _ The following inform G4. PERMIT NUMBER G7. This permit has been isses G8. Elevation of as-built lower G9. BFE or (in Zone AO) departments.	orized by law or ordinance to administer G of this Elevation Certificate. Complete Section C was taken from other document of the comments area below.) I completed Section E for a building locat mation (Items G4-G9) is provided for comments of DATE PERMIT ISSUED seed for: New Construction est floor (including basement) of the building basement)	e the applicable item(s) and sign below. Itation that has been signed and embose Ito certify elevation information. (Indicated in Zone A (without a FEMA-issued of munity floodplain management purpose. G6. DATE CERTIFICATE OF ISSUED	sed by a licensed surveyor, te the source and date of the r community-issued BFE) or s. COMPLIANCE/OCCUPANCY ft. (m) Datum:
Sections A, B, C (or E), and G1. The information in Sengineer, or archite elevation data in the G2. A community official Zone AO. G3. _ The following inform G4. PERMIT NUMBER G7. This permit has been iss G8. Elevation of as-built lower G9. BFE or (in Zone AO) department of the control of th	orized by law or ordinance to administer G of this Elevation Certificate. Complete Section C was taken from other document of the comments area below.) I completed Section E for a building locat mation (Items G4-G9) is provided for comments of DATE PERMIT ISSUED seed for: New Construction est floor (including basement) of the building basement)	e the applicable item(s) and sign below. Itation that has been signed and emboss Ito certify elevation information. (Indicated in Zone A (without a FEMA-issued of munity floodplain management purpose. G6. DATE CERTIFICATE OF ISSUED	sed by a licensed surveyor, te the source and date of the r community-issued BFE) or s.